

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	read\$lonly "7330859".pn. @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/16 21:48
L2	1	("20030112958").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2008/02/16 22:23
S1	5352	709/223.ccls. (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:02
S2	222449	(topology or mapping) (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:02
S3	106375	(topology or mapping) network (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:03
S4	28299	(topology or mapping) WITH network (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:03
S5	101	(topology or mapping) WITH network (active or working) adj database) (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:15
S6	37790	(topology or mapping or management) WITH network database (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:16
S7	8159	(topology or mapping or management) WITH network update WITH database (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:17
S8	2465	(topology or mapping or management) WITH network update WITH database (working or active or second or update) adj database (@ad<"20040202" OR @rlad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:18
S9	2395	(topology or mapping or management) WITH network update WITH database (working or active or second or update) adj database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 15:18
S10	618	(topology or mapping or management) WITH network update WITH database (working or active or second or update) adj database (@ad<"20040202" OR @rlad<"20040202") not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 16:36

S11	1	("6941350").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	OFF	2007/08/21 16:27
S12	1890	topology (discover or discovery) (@ad<"20040202" OR @rlad<"20040202") not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 16:38
S13	1067	topology (discover or discovery) active (@ad<"20040202" OR @rlad<"20040202") not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 16:38
S14	1001	topology (discover or discovery) active (database or server) (@ad<"20040202" OR @rlad<"20040202") not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 16:38
S15	145	topology (discover or discovery) active near2 (database or server) (@ad<"20040202" OR @rlad<"20040202") not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:25
S16	818	topology (discover or discovery) active (change or switch or exchange) WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:25
S17	580	topology SAME network (discover or discovery) active (change or switch or exchange) WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:36
S18	243	topology network (discover or discovery) active (working or update or change) adj database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:39
S19	79	topology network (discover or discovery) ("working database" or "change database") (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:41
S20	91	topology network (discover or discovery) ("working database" or "change database" or "static database") (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:45
S21	40	topology network (discover or discovery) ("primary database") (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:51
S22	50	topology network (discover or discovery) ((switch or change or select) WITH active WITH database) (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 17:58
S23	451	topology network (discover or discovery) ((passive or copy) with database) (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:09
S24	17	topology network (discover or discovery) (static same (active with database)) (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:06

S25	0	topology network "passive database" "active database" (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:09
S26	1	topology network "working database" "active database" (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:10
S27	96	topology network "active database" (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:12
S28	6	"working database" "active database" network (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:14
S29	313	"static database" network (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:15
S30	6521	"static database" (@ad<"20040202" OR @rlad<"20040202") not accenture.as. 709/223.ccls. OR 709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:18
S31	6515	"static database" topology (@ad<"20040202" OR @rlad<"20040202") not accenture.as. 709/223.ccls. OR 709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 18:19
S32	6	"static database" topology (@ad<"20040202" OR @rlad<"20040202") not accenture.as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/21 19:28
S33	1297	database topology (@ad<"20040202" OR @rlad<"20040202") not accenture.as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 15:39
S34	2	(intermediate or temporary) adj database topology (@ad<"20040202" OR @rlad<"20040202") not accenture.as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 15:50
S35	313	(switch or create or exchange) WITH database topology (@ad<"20040202" OR @rlad<"20040202") not accenture.as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 15:53
S36	225	(topology or topologies) (discovery or discovering) databases (@ad<"20040202" OR @rlad<"20040202") not accenture.as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	OFF	2007/08/22 16:07
S37	6	(dynamic or changing) WITH topology WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture.as. 709/223-224.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:07
S38	64	(dynamic or changing) WITH topology WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:29

S39	11	database WITH mirroring network WITH topology (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:45
S40	6	availability WITH "topology database" (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:49
S41	6	"real-time topology database" OR "realtime topology database" OR "dynamic topology database" (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:50
S42	12	("real-time" or "realtime" or dynamic) adj3 "topology database" (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:18
S43	7	("real-time" or "realtime" or dynamic or cached or working or temporary) adj2 "topology database" (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:51
S44	12	("real-time" or "realtime" or dynamic or cached or working or temporary) adj3 "topology database" (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 16:51
S45	0	"point in time replication" OR "point-in-time replication" topology WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:20
S46	0	"point in time replication" OR "point-in-time replication" (topology OR "link state" or "link-state") WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:23
S47	0	"point in time replication" OR "point-in-time replication" (topology OR "link state" or "link-state") (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:22
S48	4	"point in time replication" OR "point-in-time replication" (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:22
S49	2157	(topology OR "link state" or "link-state") WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:24
S50	43	(read OR "read only" OR "read-only") WITH (topology OR "link state" or "link-state") WITH database (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 14:27
S51	398	(topology OR "link state" or "link-state") database spanning tree loop compare (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/22 17:24
S52	74	("transient database" OR "interim database" OR "ephemeral database" OR "incomplete database") network (@ad<"20040202" OR @rlad<"20040202") not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 14:27

S53	1	"20030112958".pn. (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 17:44
S54	1	topology with "third database" network (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 17:47
S55	60	topology "third database" network (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 17:51
S56	2168	topology (multiple WITH databases) network (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 17:51
S57	389	(topology WITH database) (multiple WITH databases) network (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2007/08/23 17:51
S58	5671	709/223.cds. (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 14:53
S59	42508	topology network (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:24
S60	316	topology network read with only with database (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:24
S61	1	topology network read with only with mode with database (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:28
S62	316	topology network read with only with database (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:29
S63	141	topology network read\$1only with database (@ad<"20040202" OR @riad<"20040202")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:29
S64	27	topology network read\$1only with database "709"/\$.cds. @ad<"20040202"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:29
S65	68	topology network read with only with database "709"/\$.cds. @ad<"20040202"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:37
S66	51	topology network read with only with database "709"/\$.cds. @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:39

S67	46	monitor WITH network read with only with database "709"/\$.cls. @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:40
S68	60	monitor WITH network (read-only with database) NOT (ROM with database) @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:43
S69	60	monitor WITH network (read\$1only with database) NOT (ROM with database) @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:43
S70	126	(read\$1only SAME topology) NOT (ROM with topology) @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:45
S71	44	(read\$1only SAME topology) NOT (ROM SAME topology) @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:45
S72	25	(read\$1only SAME topology) NOT ((ROM or "read-only memory") SAME topology) @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:46
S73	184	read\$1only.detd. active WITH database topology @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 15:58
S74	88	read\$1only.detd. active WITH database topology @ad<"20040202" not accenture.as. "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 16:16
S75	4	read\$1only.detd. WITH database active WITH database topology @ad<"20040202" not accenture.as. "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 16:21
S76	63	read\$1only.detd. WITH server topology @ad<"20040202" not accenture.as. "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 16:22
S77	483	read\$1only.detd. (server or database) (topology or monitor) active secondary @ad<"20040202" not accenture.as. "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 16:53
S78	147	read\$1only.detd. (server or database) topology monitor active secondary @ad<"20040202" not accenture.as. "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 17:00
S79	39	read\$1only.detd. WITH (server or database) topology monitor active secondary @ad<"20040202" not accenture.as. "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 17:28
S80	21	read\$1only.detd. "network topology" snapshot @ad<"20040202" not accenture.as. "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 17:36

S81	21	read\$1only.detd. NOT ("read-only memory".detd) "network topology" snapshot @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 17:37
S82	21	read\$1only.detd. NOT (read\$1only \$1memory.detd) "network topology" snapshot @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 17:38
S83	167	"network topology" snapshot @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 17:39
S84	479	"network topology" polling @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:35
S85	367	"network topology" polling read @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:36
S86	330	"network topology" polling read (active or working or primary) @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:36
S87	261	"network topology" polling (snapshot or periodic or period) read (active or working or primary) @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:37
S88	43	network topology polling (snapshot or periodic or period) read (active or working or primary) adj (server or database) @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:37
S89	6	static with topology with database network @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:47
S90	0	static adj (database or server) "network topology".ti. @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:50
S91	8	static adj (database or server) "network topology" @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:50
S92	15	static adj (database or server) topology @ad<"20040202" not accenture.as. "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:53
S93	49	static adj (database or server) topology @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:54
S94	7	read\$1only adj (database or server) topology @ad<"20040202" not accenture.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/02/15 18:55

2/16/08 11:07:12 PM

C:\Documents and Settings\ntaylor5\My Documents\EAST\Workspaces\app10.768934.wsp